

[illegible]

--	--	--	--	--	--	--	--	--

The image shows two horizontal bars. The top bar is a solid black rectangle representing 100%. The bottom bar is a black rectangle with vertical white lines, representing 75% of the length of the top bar.

[illegible]

--	--	--	--	--	--	--	--

[illegible][illegible][illegible]

--	--	--	--	--

[illegible]

--	--	--	--	--	--	--	--

[illegible][illegible][illegible]

□ □ □
" □ □ □ □ □ □ □ □ □ □

[illegible][illegible]

□ “ □ ”

[illegible][illegible][illegible]

[illegible][illegible]

--	--	--	--

App

[illegible]

[illegible][illegible]

--	--	--	--	--

 "

--	--	--	--	--

[illegible][illegible][illegible][illegible]

--	--

[illegible][illegible][illegible][illegible][illegible][illegible]

App□□ “□□□□”□ “□□□□”

44

App[]

App

11

44

[illegible]

--	--	--	--	--

1. 
2. 
3.  App
4. 
5. 
6. 

“ ” ” ”

[illegible]

--	--	--	--

Diagram illustrating a 16-bit bus structure. The bus is divided into four segments: a 16-bit segment (top row), an 8-bit segment (second row), another 16-bit segment (third row), and a final 8-bit segment (bottom row). A double quote symbol is centered between the second and third rows.

“

[illegible]

--	--

[illegible]

“”

App

“ ”

