

[illegible]

--	--

ccsst.com

2026-09-02

--	--	--	--	--

[illegible][illegible]

2026-09-02

[illegible][illegible]

" "' "' " "' " "

[illegible]

[illegible][illegible][illegible]

-  
-  

- 



“ ”

[illegible][illegible]

-
- The diagram illustrates three different data distributions across three categories, represented by columns of boxes. Each example is preceded by a bullet point.
- Example 1:** Category 1 has 4 items, Category 2 has 32 items, and Category 3 has 16 items.
 - Example 2:** Category 1 has 4 items, Category 2 has 32 items, and Category 3 has 8 items.
 - Example 3:** Category 1 has 4 items, Category 2 has 32 items, and Category 3 has 16 items.

[illegible][illegible][illegible][illegible][illegible]

--	--

--	--

[illegible]

“

"[illegible][illegible]

--	--	--

[illegible][illegible][illegible][illegible]

--	--	--	--

--	--	--	--	--	--	--	--	--

-  _____
- _____

[illegible]

--	--	--	--	--

[illegible]

ccsst.com

--	--	--	--	--

[illegible]

--	--	--	--	--

2026-09-02

--	--	--	--	--

[illegible][illegible]

--	--	--	--	--

[illegible]

[illegible][illegible][illegible]

--	--	--	--

- 
- 
- 
- 

[illegible][illegible]

--	--	--	--	--	--	--	--

[illegible]

Revision #170

Created 2026-09-02 04:50:52 UTC by CCSST[REDACTED]

Updated 2026-09-03 09:01:09 UTC by CCSST[REDACTED]